Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	154	(@ad<"20030508" or @rlad<"20030508") and interface\$1 near15 defined near15 session\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 12:59
L2	4	(@ad<"20030508" or @rlad<"20030508") and creat\$4 near15 session near15 interface\$1 near15 defined	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 13:12
L3	168	(@ad<"20030508" or @rlad<"20030508") and creat\$4 near15 session near3 interface\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/03/27 13:12
L4		(@ad<"20030508" or @rlad<"20030508") and creat\$4 near15 session near3 interface\$1 and isolat\$6 near15 session near3 interface\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 13:13
L5	3	(@ad<"20030508" or @rlad<"20030508") and creat\$4 near15 session near3 interface\$1 and isolat\$6 near15 interface\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 13:13
L6	0	(@ad<"20030508" or @rlad<"20030508") and creat\$4 near15 session near3 interface\$1 and target near2 database\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 13:13
L7	129	(@ad<"20030508" or @rlad<"20030508") and creat\$4 near15 session near3 interface\$1 and database\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 13:13

L8	199344	(@ad<"20030508" or @rlad<"20030508") and creat\$4 near15 session near3 interface\$1 and database\$1 ans session near3 interface\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 13:14
L9	93	(@ad<"20030508" or @rlad<"20030508") and creat\$4 near15 session near3 interface\$1 and database\$1 and session near3 interface\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 13:15
L10	0	(@ad<"20030508" or @rlad<"20030508") and creat\$4 near15 session near3 interface\$1 and database\$1 and session near3 interface\$1 same interfac\$4 same source same (destination or target)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 13:14
S1	3027	(@ad<"20030508" or @rlad<"20030508") and interfac\$4 near10 source same interfac\$4 near10 (target or destinat\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/22 10:25
S2	561	(@ad<"20030508" or @rlad<"20030508") and interfac\$4 near10 source same interfac\$4 near10 (target or destinat\$4) same transfer\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/22 10:25
S3	76	(@ad<"20030508" or @rlad<"20030508") and interfac\$4 near10 source same interfac\$4 near10 (target or destinat\$4) same transfer\$6.ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/22 10:26
S4	5	(@ad<"20030508" or @rlad<"20030508") and interfac\$4 near10 source same interfac\$4 near10 (target or destinat\$4) same transfer\$6.ab. and source near3 stor\$4 same (target or destinat\$4) near3 stor\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/22 10:29

		LASI Scare				
S5	74	(@ad<"20030508" or @rlad<"20030508") and interfac\$4 near10 source same interfac\$4 near10 (target or destinat\$4) same transfer\$6 and source near3 stor\$4 same (target or destinat\$4) near3 stor\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/22 10:29
S6	0	(@ad<"20030508" or @rlad<"20030508") and interfac\$4 near10 source same interfac\$4 near10 (target or destinat\$4) same transfer\$6 and source near3 stor\$4 same (target or destinat\$4) near3 stor\$4 and interfac\$4 near10 source near10 extract\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/22 10:30
S7	4	(@ad<"20030508" or @rlad<"20030508") and interfac\$4 near10 source same interfac\$4 near10 (target or destinat\$4) same transfer\$6 and source near3 stor\$4 same (target or destinat\$4) near3 stor\$4 and interfac\$4 near10 extract\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/22 10:32
S8	17	(@ad<"20030508" or @rlad<"20030508") and integrat\$4 near10 server and interfac\$4 near10 source same interfac\$4 near10 (target or destinat\$4) same transfer\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/22 10:39
59	43	(@ad<"20030508" or @rlad<"20030508") and integrat\$4 near15 stor\$4 and interfac\$4 near10 source same interfac\$4 near10 (target or destinat\$4) same transfer\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/22 10:40
S10	3	(@ad<"20030508" or @rlad<"20030508") and integrat\$4 near15 stor\$4 and interfac\$4 near10 source same interfac\$4 near10 (target or destinat\$4) same . transfer\$6 and custom\$6 near5 (cod\$4 or program\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/22 10:48
S11	6	(@ad<"20030508" or @rlad<"20030508") and integrat\$4 and business near5 enterpris\$4 and interfac\$4 near10 source same interfac\$4 near10 (target or destinat\$4) and transfer\$6 and custom\$6 near5 (cod\$4 or program\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/22 11:01

			· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · ·	
S12	3	(@ad<"20030508" or @rlad<"20030508") and integrat\$4 and business near5 enterpris\$4 and interfac\$4 near10 source same interfac\$4 near10 (target or destinat\$4) and transfer\$6 and custom\$6 near5 (cod\$4 or program\$4) and ftp	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/22 10:58
S13	0	(@ad<"20030508" or @rlad<"20030508") and integrat\$4 and business near5 enterpris\$4 and interfac\$4 near10 source same interfac\$4 near10 (target or destinat\$4) and transfer\$6 and custom\$6 near5 (cod\$4 or program\$4) and etl	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/22 10:58
S14	190	(@ad<"20030508" or @rlad<"20030508") and integrat\$4 and interfac\$4 near10 source same interfac\$4 near10 (target or destinat\$4) and transfer\$6 and custom\$6 near5 (cod\$4 or program\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/22 11:00
S15	12	(@ad<"20030508" or @rlad<"20030508") and etl and java near2 interface\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/22 11:02
S16	9	(@ad<"20030508" or @rlad<"20030508") and etl and java near2 interface\$1 and transfer\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/22 11:08
S17	1369	(@ad<"20030508" or @rlad<"20030508") and etl	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/22 11:08
S18	224	(@ad<"20030508" or @rlad<"20030508") and etl near10 extract\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/22 11:08

	1		r 			,
S19	180	(@ad<"20030508" or @rlad<"20030508") and etl near10 extract\$4 and integrat\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/22 11:08
S20	170	(@ad<"20030508" or @rlad<"20030508") and etl near10 extract\$4 and integrat\$5 and interface\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/22 11:09
S21	21	(@ad<"20030508" or @rlad<"20030508") and etl near10 extract\$4 and integrat\$5 and source near3 interface\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/22 11:09
S22	6	(@ad<"20030508" or @rlad<"20030508") and etl near10 extract\$4 and integrat\$5 and source near3 interface\$1 and (target\$5 or destinat\$5) near3 interface\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/22 11:16
S23	5	(@ad<"20030508" or @rlad<"20030508") and etl near10 extract\$4 and integrat\$5 and source near3 interface\$1 and (target\$5 or destinat\$5) near3 interface\$1 and ftp	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/22 11:17
S24	5	(@ad<"20030508" or @rlad<"20030508") and etl near10 extract\$4 and integrat\$5 and source near3 interface\$1 and (target\$5 or destinat\$5) near3 interface\$1 and ftp and custom\$6 near5 (program\$5 or cod\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/22 11:19
S25		(@ad<"20030508" or @rlad<"20030508") and etl near10 extract\$4 and integrat\$5 and source near3 interface\$1 and (target\$5 or destinat\$5) near3 interface\$1 and ftp and (program\$5 or cod\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/22 11:20

S26	6	(@ad<"20030508" or @rlad<"20030508") and etl near10 extract\$4 and integrat\$5 and source near3 interface\$1 and (target\$5 or destinat\$5) near3 interface\$1 and custom\$5 near3 (program\$5 or cod\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/22 11:22
S27	58	(@ad<"20030508" or @rlad<"20030508") and extract\$4 and integrat\$5 and source near3 interface\$1 and (target\$5 or destinat\$5) near3 interface\$1 and custom\$5 near3 (program\$5 or cod\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/22 11:23
S28	41	(@ad<"20030508" or @rlad<"20030508") and business\$2 and extract\$4 and integrat\$5 and source near3 interface\$1 and (target\$5 or destinat\$5) near3 interface\$1 and custom\$5 near3 (program\$5 or cod\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/22 12:11
S29	33	(@ad<"20030508" or @rlad<"20030508") and business\$2 and extract\$4 and integrat\$5 and source near3 interface\$1 and (target\$5 or destinat\$5) near3 interface\$1 and custom\$5 near3 (program\$5 or cod\$5) and transfer\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/22 12:12
S30	2	(@ad<"20030508" or @rlad<"20030508") and integrat\$4 same interfac\$4 near10 data near3 stores and custom\$6 near5 (cod\$4 or program\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/23 16:29
S31	1459150	(@ad<"20030508" or @rlad<"20030508") and integrat\$4 data near3 stores and interfac\$4 near10 data near3 stores and custom\$6 near5 (cod\$4 or program\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/23 16:30
<u>5</u> 32	9	(@ad<"20030508" or @rlad<"20030508") and integrat\$4 near15 data near3 stores and interfac\$4 near10 data near3 stores and custom\$6 near5 (cod\$4 or program\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/23 16:34

						·
S33	0	(@ad<"20030508" or @rlad<"20030508") and integrat\$4 near15 data near3 stores and interfac\$4 near10 data near3 stores and custom\$6 near5 (cod\$4 or program\$4) and source near2 interface\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/23 16:31
S34	21	(@ad<"20030508" or @rlad<"20030508") and integrat\$4 and source near3 interface\$1 same custom\$6 near5 (cod\$4 or program\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/23 16:37
S35	11	(@ad<"20030508" or @rlad<"20030508") and integrat\$4 and source near3 interface\$1 same (custom or customiz\$5) near5 (cod\$4 or program\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/23 16:38
S36	90	(@ad<"20030508" or @rlad<"20030508") and integrat\$4 and source near3 interface\$1 and (target or destinat\$5) near3 interface\$1 and (custom or customiz\$5) near5 (cod\$4 or program\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/23 16:39
S37	81	(@ad<"20030508" or @rlad<"20030508") and integrat\$4 and source near3 interface\$1 and (target or destinat\$5) near3 interface\$1 and (custom or customiz\$5) near5 (cod\$4 or program\$4) and transfer\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/23 16:56
S38	244	(@ad<"20030508" or @rlad<"20030508") and integrat\$4 and source near3 interface\$1 and (target or destinat\$5) near3 interface\$1 and (speci\$6) near5 (cod\$4 or program\$4) and transfer\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2007/03/23 16:57
S39	5	(@ad<"20030508" or @rlad<"20030508") and integrat\$4 and source near3 interface\$1 and (target or destinat\$5) near3 interface\$1 and (speci\$6) near5 (cod\$4 or program\$4) and transfer\$4 and etl	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/23 16:57

			· .			<u> </u>
S40	14	(@ad<"20030508" or @rlad<"20030508") and integrat\$4 and source near3 api\$1 and (target or destinat\$4) near3 api\$1 and transfer\$6 and (custom or customiz\$6) near5 (cod\$4 or program\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/24 13:01
S41	0	(@ad<"20030508" or @rlad<"20030508") and "6996589". pn. and java	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 14:26
S42	2	(@ad<"20030508" or @rlad<"20030508") and "20030233249"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 14:26
S43	1	(@ad<"20030508" or @rlad<"20030508") and "20030233249" and insert\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 14:26
S44	1	(@ad<"20030508" or @rlad<"20030508") and "20030233249" and insert\$4 and updat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 14:26
S45		(@ad<"20030508" or @rlad<"20030508") and "20030233249" and insert\$4 and updat\$4 and delet\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 15:58
S46	0	(@ad<"20030508" or @rlad<"20030508") and "20030233249" and java	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 15:59

S47	0	(@ad<"20030508" or @rlad<"20030508") and "6308178". pn. and java	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 15:59
S48	0	(@ad<"20030508" or @rlad<"20030508") and "6334158". pn. and java	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 15:59
S49	. 1	(@ad<"20030508" or @rlad<"20030508") and "20020046301" and java	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 17:52
S50	18093	(@ad<"20030508" or @rlad<"20030508") and ftp	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 16:13
S51	537	(@ad<"20030508" or @rlad<"20030508") and ftp near2 request\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 16:14
S52	0	(@ad<"20030508" or @rlad<"20030508") and integrat\$4 near2 server near15 ftp near2 request\$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 16:14
S53	56	(@ad<"20030508" or @rlad<"20030508") and integrat\$4 near2 server and ftp near2 request\$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 16:15

CEA		(@_d_!!20020E00!!	HC DCDUD	OB	OFF	2007/02/20 40:40
S54		(@ad<"20030508" or @rlad<"20030508") and integrat\$4 near2 server and ftp near2 request\$ near15 extract\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 16:16
S55	40	(@ad<"20030508" or @rlad<"20030508") and integrat\$4 near2 server and ftp near2 request\$ and extract\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 16:16
S56	40	(@ad<"20030508" or @rlad<"20030508") and integrat\$4 near2 server and ftp near2 request\$ and extract\$4 and ftp	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 16:18
S57	14	(@ad<"20030508" or @rlad<"20030508") and integrat\$4 near2 server and ftp adj request\$ and extract\$4 and ftp	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 16:20
S58	1017	(@ad<"20030508" or @rlad<"20030508") and ftp near5 client	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 16:59
S59	510	(@ad<"20030508" or @rlad<"20030508") and ftp same stream	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 17:52
S60	85	(@ad<"20030508" or @rlad<"20030508") and client same ftp same stream	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 17:54

S61	3	(@ad<"20030508" or @rlad<"20030508") and client near15 request\$4 near10 transfer\$4 same ftp and client same ftp same stream	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 17:55
S62	0	(@ad<"20030508" or @rlad<"20030508") and "6334158". pn. and destruct4 and releas\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 19:08
S63	1	(@ad<"20030508" or @rlad<"20030508") and "6334158". pn. and destruct\$4 and releas\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 19:08